

SAFETY DATA SHEET

CRONOS F 0W30

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

SECTION 1: Identification of the	SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	CRONOS F 0W30	
Internal identification	FORD WSS 913 D	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Engine oil.	
1.3. Details of the supplier of the	safety data sheet	
Supplier	ATAK MADENI YAG PAZ.SAN.VE TIC.AS 10032 Sok. No:13 ÇIGLI/IZMIR TURKEY T: 0232 328 3128 www.atakoil.com info@atakoil.com	
Contact person	Hazal ÖNMAL (Mrs.) - hazalonmal@atakoil.com	
1.4. Emergency telephone number	1.4. Emergency telephone number	
Emergency telephone	Atak Lubricants: +90 232 3283128	
SECTION 2: Hazards identification	n	
2.1. Classification of the substance	ce or mixture	
Classification (SI 2019 No. 720) Physical hazards	Not Classified	
-		
Health hazards	Not Classified	
Environmental hazards	Aquatic Chronic 3 - H412	
Classification (Regulation (EC) No. 1272/2008 CLP).		
2.2. Label elements		
Hazard statements	H412 Harmful to aquatic life with long lasting effects.	
Precautionary statements	P273 Avoid release to the environment. P501 Dispose of contents/ container in accordance with national regulations.	
2.3. Other hazards		
No data available.		
SECTION 3: Composition/informa	ation on ingredients	

3.2. Mixtures

Dec-1-ene, homopolymer, hydrogena hydrogenated	-	
CAS number: 68037-01-4	EC number: 500-183-1	
Classification Not Classified		
LUBRICATING OILS (PETROLEUM) NEUTRAL OIL-BASE (Note L)), C20-50, HYDROTREATED	25-40%
CAS number: 72623-87-1	EC number: 276-738-4	
Classification Not Classified		
PARAFİN YAĞLARI		1-5%
CAS number: —		
Classification Asp. Tox. 1 - H304		
bis(nonylphenyl)amine		1-5%
CAS number: 36878-20-3	EC number: 253-249-4	
Classification Aquatic Chronic 4 - H413		
Phosphorodithioic acid, mixed O,O-b esters, zinc salts	is(1,3-dimethylbutyl and iso-Pr)	<1%
CAS number: 84605-29-8	EC number: 283-392-8	
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 2 - H411		
Phenol, dodecyl-, branched		<1%
CAS number: 121158-58-5	EC number: 310-154-3	
M factor (Acute) = 1	M factor (Chronic) = 10	
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Repr. 2 - H361f Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		

Ingredient notes

**Nota L :The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
4.2. Most important symptoms and	d effects, both acute and delayed
Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin contact	No specific symptoms known.
Eye contact	No specific symptoms known.
4.3. Indication of any immediate n	nedical attention and special treatment needed
Notes for the doctor	No specific recommendations.
SECTION 5: Firefighting measure	s
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
5.2. Special hazards arising from	the substance or mixture
Specific hazards	Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m ³ .
5.3. Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapours. Fight fire from safe distance or protected location. Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials.
SECTION 6: Accidental release m	ieasures
6.1. Personal precautions, protect	ive equipment and emergency procedures
Personal precautions	For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces.
6.2. Environmental precautions	
Environmental precautions	Do not discharge into drains or watercourses or onto the ground. Avoid or minimise the creation of any environmental contamination. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
6.3. Methods and material for con	tainment and cleaning up
Methods for cleaning up	Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. For waste disposal, see Section 13.
6.4. Reference to other sections	
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see section 13.
SECTION 7: Handling and storage	9
7.1. Precautions for safe handling	

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits No data available.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients. Provide adequate ventilation.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.
Other skin and body protection	Wear suitable protective clothing as protection against splashing or contamination.
Hygiene measures	Wash promptly if skin becomes contaminated. Promptly remove non-impervious clothing that becomes contaminated. Contaminated clothing should be placed in a closed container for disposal or decontamination. When using do not eat, drink or smoke.
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

SECTION 9: Physical and chemical properties

•	
9.1. Information on basic physical and chemical properties	
Appearance	Liquid.
Flash point	220°C
Bulk density	0,84-0,86 g/cm³ @15°C (ASTM D 4052)
Viscosity	9,5-11,50 mm²/s @ 100°C
Penetration	
9.2. Other information	
<u> </u>	
Other information	None.
SECTION 10: Stability and reactiv	
[
SECTION 10: Stability and reactiv	
SECTION 10: Stability and reactive 10.1. Reactivity	ity
SECTION 10: Stability and reactive 10.1. Reactivity Reactivity	ity
SECTION 10: Stability and reactive 10.1. Reactivity Reactivity 10.2. Chemical stability	ity There are no known reactivity hazards associated with this product. Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

10.4. Conditions to avoid

Conditions to avoid	Avoid excessive heat for prolonged periods of time.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decomposition p	roducts
Hazardous decomposition products	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).
SECTION 11: Toxicological inform	nation
11.1. Information on toxicological	effects
Information on hazard classes as defined in Regulation (EC) No 1272/2008	
Germ cell mutagenicity	
Genotoxicity - in vitro	No information available.
Genotoxicity - in vivo	No information available.
Carcinogenicity Carcinogenicity	No information available.
Reproductive toxicity	
Reproductive toxicity - fertility	No information available.
Reproductive toxicity - development	No information available
Specific target organ toxicity - sing	
STOT - single exposure	No information available.
Specific target organ toxicity - rep STOT - repeated exposure	eated exposure No information available.
OTOT - Tepeated exposure	
Inhalation	No specific health hazards known.
Ingestion	May cause discomfort if swallowed.
Skin contact	Liquid may irritate skin.
Eye contact	May cause temporary eye irritation.
11.2 Information on other hazards	
Information on other hazards	
SECTION 12: Ecological information	
Ecotoxicity	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
12.1. Toxicity	
Toxicity	No data available.
12.2. Persistence and degradabili	-
Persistence and degradability	There are no data on the degradability of this product.
12.3. Bioaccumulative potential	
Bioaccumulative potential	No data available on bioaccumulation.
12.4. Mobility in soil	
12.5. Results of PBT and vPvB as	sessment

Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6 Endocrine disrupting properties	
Endocrine disrupting properties	
12.6. Other adverse effects	
Other adverse effects	No information required.
SECTION 13: Disposal consideration	tions
13.1. Waste treatment methods	
General information	The packaging must be empty (drop-free when inverted).
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Environmental Manager must be informed of all major spillages. Avoid the spillage or runoff entering drains, sewers or watercourses.
SECTION 14: Transport information	on
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number	
UN number or ID number	
Not applicable.	
14.2. UN proper shipping name	
Not applicable.	
14.3. Transport hazard class(es)	
No transport warning sign required	d.
14.4. Packing group	
Not applicable.	
14.5. Environmental hazards	
Environmentally hazardous substandous No.	ance/marine pollutant
14.6. Special precautions for user	· · · · · · · · · · · · · · · · · · ·
Not applicable.	
14.7. Transport in bulk according	to Annex II of MARPOL and the IBC Code
Maritime transport in bulk according to IMO instruments	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
SECTION 15: Regulatory information	tion
15.1. Safety, health and environm	ental regulations/legislation specific for the substance or mixture
National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
Guidance	Workplace Exposure Limits EH40. CHIP for everyone HSG228. Safety Data Sheets for Substances and Preparations.

Approved Classification and Labelling Guide (Sixth edition) L131.

.

CRONOS F 0W30

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information	
Key literature references and sources for data	This SDS is prepared based on the information received from the product raw material.
Revision comments	This is the first issue.
Issued by	Hazal KUBİLAY / Teknology Center Laboratory Manager KIMCERT Certificate Number :KDU01.26.07
Revision date	06/09/2021
Revision	0.0
Supersedes date	06/09/2021
SDS number	21340
Hazard statements in full	 H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H361f Suspected of damaging fertility. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.