



## SAFETY DATA SHEET PROTECTOR MX 40

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.  
Commission Regulation (EU) 2020/878 of 18 June 2020.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name PROTECTOR MX 40

Internal identification API CF-4/CF/SG

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses General purpose, mono grade diesel engine oil

#### 1.3. Details of the supplier of the safety data sheet

Supplier ATAK MADENI YAG PAZ.SAN.VE TIC.A..S  
10032 Sok. No:13  
ÇIGLI/İZMİR  
TURKEY  
T: 0232 328 3128  
www.atakoil.com  
info@atakoil.com

Contact person Hazal ÖNMAL (Mrs.) - hazalonmal@atakoil.com

#### 1.4. Emergency telephone number

Emergency telephone Atak Lubricants: +90 232 3283128

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Classification (Regulation (EC)  
No. 1272/2008 CLP).

#### 2.2. Label elements

Hazard statements NC Not Classified

#### 2.3. Other hazards

No data available.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

## PROTECTOR MX 40

|  |               |
|--|---------------|
| <b>HYDROCARBONS, C20-50, SOLVENT DEWAXED HEAVY<br/>PARAFFINIC, HYDROTREATE(Note L)</b>   | <b>80-95%</b> |
| CAS number: 90640-95-2                      EC number: 292-617-9   |               |
| <b>Classification</b><br>Not Classified  |               |
| <b>zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)</b>  | <b>&lt;1%</b> |
| CAS number: 93819-94-4                      EC number: 298-577-9   |               |
| <b>Classification</b><br>Skin Irrit. 2 - H315<br>Eye Dam. 1 - H318<br>Aquatic Chronic 2 - H411   |               |
| <b>FUMARIC ACID</b>  | <b>&lt;1%</b> |
| CAS number: 110-17-8                      EC number: 203-743-0   |               |
| <b>Classification</b><br>Eye Irrit. 2 - H319   |               |
| <b>ETHYLENEDIAMINE</b>   | <b>&lt;1%</b> |
| CAS number: 107-15-3                      EC number: 203-468-6   |               |
| <b>Classification</b><br>Flam. Liq. 3 - H226<br>Acute Tox. 4 - H302<br>Acute Tox. 4 - H312<br>Skin Corr. 1B - H314<br>Eye Dam. 1 - H318<br>Resp. Sens. 1 - H334<br>Skin Sens. 1 - H317 |               |

The full text for all hazard statements is displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.   |
| <b>Ingestion</b>    | Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.             |
| <b>Skin contact</b> | Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.  |
| <b>Eye contact</b>  | Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention. |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | No specific symptoms known.  |
| <b>Ingestion</b>    | May cause discomfort if swallowed.   |
| <b>Skin contact</b> | Prolonged skin contact may cause redness and irritation.   |
| <b>Eye contact</b>  | Irritation of eyes and mucous membranes. Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain. |

## PROTECTOR MX 40

### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes for the doctor** No specific recommendations. If in doubt, get medical attention promptly.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media** The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m<sup>3</sup>.

#### 5.3. Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapours. Fight fire from safe distance or protected location. Control run-off water by containing and keeping it out of sewers and watercourses.

**Special protective equipment for firefighters** Use protective equipment appropriate for surrounding materials.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with eyes and prolonged skin contact.

#### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes. Do not eat, drink or smoke when using the product. Good personal hygiene procedures should be implemented.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from food, drink and animal feeding stuffs.

**Storage class** Chemical storage.

#### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

No data available.

#### 8.2. Exposure controls

# PROTECTOR MX 40

## Protective equipment



|   |  |
|---|--|
| <b>Appropriate engineering controls</b> | Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.  |
| <b>Eye/face protection</b>              | Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.  |
| <b>Hand protection</b>                  | Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.  |
| <b>Other skin and body protection</b>   | Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective clothing in case of contact.  |
| <b>Hygiene measures</b>                 | Provide eyewash station. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke. |
| <b>Respiratory protection</b>           | No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.  |

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                     |   |
|---------------------|---|
| <b>Appearance</b>   | Liquid.   |
| <b>Flash point</b>  | Min.220 °C                                      |
| <b>Bulk density</b> | 0,88-0,90 g/cm <sup>3</sup> @15°C (ASTM D 4052) |
| <b>Viscosity</b>    | 12,50-16,30 mm <sup>2</sup> /s @ 100°C          |
| <b>Penetration</b>  |   |

### 9.2. Other information

|                          |       |
|--------------------------|-------|
| <b>Other information</b> | None. |
|--------------------------|-------|

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

|                   |   |
|-------------------|---|
| <b>Reactivity</b> | There are no known reactivity hazards associated with this product. |
|-------------------|---|

### 10.2. Chemical stability

|                  |  |
|------------------|--|
| <b>Stability</b> | Stable at normal ambient temperatures. |
|------------------|--|

### 10.3. Possibility of hazardous reactions

|   |   |
|---|---|
| <b>Possibility of hazardous reactions</b> | No potentially hazardous reactions known. |
|---|---|

### 10.4. Conditions to avoid

|                            |   |
|----------------------------|---|
| <b>Conditions to avoid</b> | Avoid excessive heat for prolonged periods of time. |
|----------------------------|---|

### 10.5. Incompatible materials

|                           |  |
|---------------------------|--|
| <b>Materials to avoid</b> | No specific material or group of materials is likely to react with the product to produce a hazardous situation. |
|---------------------------|--|

### 10.6. Hazardous decomposition products

|   |  |
|---|--|
| <b>Hazardous decomposition products</b> | Fire creates: Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ). |
|---|--|

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

## PROTECTOR MX 40

### Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Serious eye damage/irritation

Serious eye damage/irritation No information available.

#### Germ cell mutagenicity

Genotoxicity - in vitro Not available information

Genotoxicity - in vivo Not available information

#### Carcinogenicity

Carcinogenicity Not available information

#### Reproductive toxicity

Reproductive toxicity - fertility Not available information

Reproductive toxicity - development No information available

#### Specific target organ toxicity - single exposure

STOT - single exposure not available information

#### Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not available information

#### Inhalation

Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.

#### Ingestion

May cause discomfort if swallowed.

#### Skin contact

Liquid may irritate skin.

#### Eye contact

Irritating to eyes.

### 11.2 Information on other hazards

#### Information on other hazards

## SECTION 12: Ecological information

#### Ecotoxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### 12.1. Toxicity

##### Toxicity

No data available.

#### 12.2. Persistence and degradability

##### Persistence and degradability

There are no data on the degradability of this product.

#### 12.3. Bioaccumulative potential

##### Bioaccumulative potential

No data available on bioaccumulation.

#### 12.4. Mobility in soil

##### Mobility

The product is partly miscible with water and may spread in the aquatic environment.

#### 12.5. Results of PBT and vPvB assessment

##### Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

#### 12.6 Endocrine disrupting properties

##### Endocrine disrupting properties

## PROTECTOR MX 40

### 12.6. Other adverse effects

**Other adverse effects** No information required.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Environmental Manager must be informed of all major spillages. Avoid the spillage or runoff entering drains, sewers or watercourses.

## SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

**UN number or ID number**

Not applicable.

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

No transport warning sign required.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Maritime transport in bulk according to IMO instruments**

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Guidance**

Workplace Exposure Limits EH40.  
CHIP for everyone HSG228.  
Safety Data Sheets for Substances and Preparations.  
Approved Classification and Labelling Guide (Sixth edition) L131.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

**Key literature references and sources for data**

This SDS is prepared based on the information received from the product raw material.

## PROTECTOR MX 40

|                                  |   |
|----------------------------------|---|
| <b>Revision comments</b>         | This is the first issue.  |
| <b>Issued by</b>                 | Hazal KUBILAY / Teknology Center Laboratory Manager KIMCERT Certificate Number :KDU01.26.07   |
| <b>Revision date</b>             | 18/03/2016  |
| <b>Revision</b>                  | 0.0   |
| <b>Supersedes date</b>           | 18/03/2016  |
| <b>SDS number</b>                | 20491   |
| <b>Hazard statements in full</b> | H226 Flammable liquid and vapour.<br>H302 Harmful if swallowed.<br>H312 Harmful in contact with skin.<br>H314 Causes severe skin burns and eye damage.<br>H315 Causes skin irritation.<br>H317 May cause an allergic skin reaction.<br>H318 Causes serious eye damage.<br>H319 Causes serious eye irritation.<br>H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.<br>H411 Toxic to aquatic life with long lasting effects. |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.